

## Durham Research Online

---

### Deposited in DRO:

15 July 2014

### Version of attached file:

Accepted Version

### Peer-review status of attached file:

Peer-reviewed

### Citation for published item:

López-Romero, E. and Mañana-Borrazás, P. and Daire, M.-Y. and Güimil-Fariña, A. (2014) 'The eSCOPES Project : preservation by record and monitoring at-risk coastal archaeological sites on the European Atlantic façade.', *Antiquity*, 088 (339).

### Further information on publisher's website:

<http://antiquity.ac.uk/projgall/lopez-romero339/>

### Publisher's copyright statement:

© 2014 Antiquity Publications Ltd.

### Additional information:

Project Gallery article.

---

## Use policy

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- a full bibliographic reference is made to the original source
- a [link](#) is made to the metadata record in DRO
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the [full DRO policy](#) for further details.

## **The eSCOPES Project: preservation by record and monitoring at-risk coastal archaeological sites on the European Atlantic façade**

Elías López-Romero, Patricia Mañana-Borrazás, Marie-Yvane Daire & Alejandro Güimil-Fariña

### **Introduction**

Coastal landscapes, past and present, are unique spaces subject to intense evolution and change. At present, sea-level rise is one visible effect of climate change, and human activity is also threatening much coastal and island territory on a global scale. In this context, the vulnerability of coastal heritage is increasingly coming into focus, particularly in areas such as the European and American Atlantic façades, where the combined results of sea-level rise, coastal environment dynamics and human activity are significantly altering the coastline.


In Europe, Scottish archaeologists were among the first to warn of the threat to this heritage (Ashmore 1994). In 1997, English Heritage initiated the Rapid Coastal Zone Assessment Surveys (RCZAS; English Heritage 1997). In the west of France, current estimates indicate that more than 2500 archaeological sites are severely threatened (Daire *et al.* 2012: 169). In America, several research initiatives have dealt with the problem of coastal archaeological site erosion on both theoretical and practical levels; several authors have highlighted the fact that natural and cultural heritage conservation approaches aim to achieve very similar outcomes (e.g. Brum *et al.* 2011: 155–57; Reeder *et al.* 2012: 187–88). The need for a better understanding of this heritage, its setting and its vulnerability is thus becoming increasingly urgent (cf. Erlandson 2008).

### **Monitoring change**

The eSCOPES Project (Evolving spaces: coastal landscapes of the Neolithic in the European Land's Ends, Marie Curie-IEF, PI E. López-Romero) is the result of previous research experience on coastal and island archaeology and on coastal heritage vulnerability. The project aims to contribute to the understanding of human dynamics in the coastal landscape from the Middle Neolithic to the Early Bronze Age in Atlantic Europe (c. 4500–2200 BC)

through trans-regional analysis of the archaeological evidence and study of the variables affecting the vulnerability of the coast.

The project, initiated in May 2013 and running until April 2015, uses close-range photogrammetric techniques ('structure from motion', e.g. Doneus *et al.* 2011) as a cost-effective solution to record, model and monitor both minor and major changes in the architecture of selected case studies in a number of areas of the European Atlantic façade (Figure 1).



There are two objectives to this procedure. First, to provide a detailed three-dimensional record of the selected case studies in order to safeguard the potential for architectural analysis even in the event of severe damage or destruction (Figure 2). Second, to evaluate the suitability of close-range photogrammetry techniques for the assessment of coastal site erosion on relatively complex architecture. In addition, the outputs (photographic series, 3D models, difference grids) will constitute powerful tools for decision-making processes to inform best practice in managing coastal heritage.

*Figure 1*

The initial fieldwork campaign took place in September 2013. Six archaeological sites (two megalithic monuments in Brittany, western France, and four on an islet in Galicia, north-western Spain) located in different environmental settings and with different structural characteristics were recorded with extensive photographic documentation (in the range of 1000–1200 photographs for each site in the 2013 campaign). Several palaeosols and structures associated with, or in close proximity to, the sites have also been documented (Figure 3). Two reflex cameras (Nikon D300 coupled with a GPS receiver and Canon EOS 700D) and a compact camera (Canon G10) were used. The record was then integrated

through Agisoft Photoscan software to obtain an initial set of Digital Surface Models (DSM; Figures 4 & 5).



*Figure 2*



*Figure 3*





*Figure 4*



*Figure 5*

A second and third campaign of recording will be undertaken at the same sites in March and September 2014 to provide a snapshot of the changes in operation over six- and twelve-

month timescales. Topographic reference points, established during the 2013 field campaign in the vicinity of each site with the help of a total station (Leica TCRP1203) and Differential Geographical Positioning System (DGPS, Leica GPS1200), combined with a series of control point measurements, will permit the accurate comparison of the DSMs for each site. Further research in 2014 will integrate the vulnerability analysis of megalithic monuments on the Scilly archipelago in south-western Britain.

## Discussion

The extreme vulnerability of areas of the coastal archaeological record must be urgently acknowledged. The necessity of finding solutions, both to understand erosion processes and to preserve the scientific information inherent in the sites, is equally immediate. Due to the location of some sites (accessibility, limitations imposed by tidal regimes, etc.), the use of close-range photogrammetry provides a cost-effective solution to achieve these objectives.

Though complementary to terrestrial laser scanning (3D-TLS, e.g. Lim *et al.* 2005), in the context of this project, photogrammetry has three main advantages over that technique: it is considerably cheaper, it substantially reduces the amount of heavy equipment necessary for fieldwork, and the modelling is generated from photographs (which, in addition to their inherent scientific value, can be used to perform realistic mapping of the resulting 3D models).

When integrated into the workflow of ongoing risk and vulnerability assessment protocols (e.g. Daire *et al.* 2012; Dawson 2013) this perspective will provide both qualitative and quantitative data to stimulate preventive measures as well as support for decision-making strategies concerning coastal archaeological heritage.

## Acknowledgements

The eSCOPES Project is funded by the European Commission (Marie Curie-IEF). The authors would like to thank Chris Scarre (Durham University), Felipe Criado-Boado (Institute of Heritage Sciences, Incipit, CSIC) and X.I. Vilaseco Vázquez (Servizo de Arqueoloxía, Xunta de Galicia) for their support, and Loïc Langouet (AMARAI, France) for facilitating additional photographic equipment.

## References

- ASHMORE, P. 1994. *Archaeology and the coastal zone: toward a Historic Scotland policy*. Edinburgh: Historic Scotland.
- BRUM, L., M. CERVETTO, C. CHRETIES, J. GOROSTIAGA, L. IRIONDO, E. LEICHT, C. ROBERTO & L. RODRÍGUEZ. 2011. Plan piloto de manejo costero integrado en el área de oportunidad Punta Colorada-Punta Negra, Maldonado, in D. Conde (ed.) *Manejo costero integrado en Uruguay: ocho ensayos interdisciplinarios*: 153–86. Montevideo: UDELAR/CIDA.
- DAIRE, M.-Y., E. LÓPEZ-ROMERO, J.N. PROUST, H. REGNAULD, S. PIAN & B. SHI. 2012. Coastal changes and cultural heritage (1): assessment of the vulnerability of the coastal heritage in western France. *Journal of Island and Coastal Archaeology* 7: 168–82. <http://dx.doi.org/10.1080/15564894.2011.652340>
- DAWSON, T. 2013. Locating and prioritising action at eroding coastal sites, in M.-Y. Daire, C. Dupont, A. Baudry, C. Billard, J.M. Large, L. Lespez, E. Normand & C. Scarre (ed.) *Ancient maritime communities and the relationship between people and environment along the European Atlantic coasts / Anciens peuplements littoraux et relations Homme/Milieu sur les côtes de l'Europe atlantique. Proceedings of the Homer 2011 Conference, Vannes (France), 27/09–1/10 2011* (British Archaeological Reports international series 2570): 77–84. Oxford: Archaeopress.
- DONEUS, M., G.J.J. VERHOEVEN, M. FERA, C. BRIESE, M. KUCERA & W. NEUBAUER. 2011. From deposit to point cloud: a study of low-cost computer vision approaches for the straightforward documentation of archaeological excavations. *Geoinformatics FCE CTU 6* (XXIIIrd International CIPA Symposium): 81–88.
- English Heritage. 1997. *England's coastal heritage: a statement on the management of coastal archaeology*. London: English Heritage.
- ERLANDSON, J.M. 2008. Racing a rising tide: global warming, rising seas and the erosion of human history. *Journal of Island and Coastal Archaeology* 3: 167–69. <http://dx.doi.org/10.1080/15564890802436766>
- LIM, M., D.N. PETLEY, N.J. ROSSER, R.J. ALLISON, A.J. LONG & D. PYBUS. 2005. Combined digital photogrammetry and time-of-flight laser scanning for monitoring cliff evolution. *The Photogrammetric Record* 20: 109–29. <http://dx.doi.org/10.1111/j.1477-9730.2005.00315.x>



REEDER, L.A., T.C. RICK & J.M. ERLANDSON. 2012. Our disappearing past: a GIS analysis of the vulnerability of coastal archaeological resources in California's Santa Barbara Channel region. *Journal of Coastal Conservation* 16: 187–97.  
<http://dx.doi.org/10.1007/s11852-010-0131-2>

### Figure captions

Figure 1. Location map of study areas.

Figure 2. Megalithic chamber in Guidoiro Areoso (Galicia, Spain).

Figure 3. Documenting intertidal structures in Guidoiro Areoso (Galicia, Spain).

Figure 4. Le Lomer (Brittany, France); preliminary 3D photomosaic of the eroding cliff showing remains of the megalithic monument.

Figure 5. Coalen (Brittany, France); 3D Digital Surface Model of a fallen orthostat.

### Authors

#### Elías López-Romero

Department of Archaeology, Durham University, South Road, Durham DH1 3LE, UK  
(Email: [elias.lopez-romero@durham.ac.uk](mailto:elias.lopez-romero@durham.ac.uk))

#### Patricia Mañana-Borrazás

Institute of Heritage Sciences, Spanish National Research Council, Incipit, CSIC, San Roque 2, 15704 Santiago de Compostela, Spain (Email: [patricia.manana-borrazas@incipit.csic.es](mailto:patricia.manana-borrazas@incipit.csic.es))

#### Marie-Yvane Daire

Laboratoire Archéosciences UMR 6566 CReAAH—Centre de Recherche en Archéologie, Archéosciences, Histoire, Bâtiment 24–25 Campus de Beaulieu, 263 Avenue du général Leclerc, Rennes, France (Email: [marie-yvane.daire@univ-rennes1.fr](mailto:marie-yvane.daire@univ-rennes1.fr))

#### Alejandro Güimil-Fariña

Laboratory of Heritage, Palaeoenvironment and Landscape (LPPP); University of Santiago de Compostela. Monte da Condesa, Ground floor, USC Campus Sur, 15782 Santiago de Compostela, Spain (Email: [alejandro.guimil.farina@usc.es](mailto:alejandro.guimil.farina@usc.es))